

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

SECTION 1. IDENTIFICATION

Substance name : AKEEGA 100 mg/500 mg film-coated tablets
Abiraterone acetate
Niraparib tosylate monohydrate

Manufacturer or supplier's details

Company name of supplier : Janssen Pharmaceuticals, Inc.

Address : 1125 Trenton-Harbourton Rd
Titusville NJ 08560

USA

Telephone : +16097302000

E-mail address of person responsible for the SDS : SDSJanssen@its.jnj.com

Emergency telephone number : **CHEMTREC US: 1-800-424-9300**
CHEMTREC International: +1 703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : Finished Pharmaceutical Product
This SDS is only intended for occupational use and not for consumer use (see patient packaging insert for consumer use). This SDS is written to provide environmental, health and safety information for personnel that will be handling this finished pharmaceutical product. For health and safety information during manufacturing of this product we refer to the appropriate SDS for each component.
This dosage form is exempt from the requirements of the OSHA Hazard Communication Standard (US OSHA Standard 29 CFR Part 1910.1200).

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage : Category 1

Skin sensitisation : Category 1

Germ cell mutagenicity : Category 2

Reproductive toxicity : Category 1B

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

Specific target organ toxicity : Category 2
- repeated exposure

Specific target organ toxicity : Category 2 (male reproductive organs, female reproductive
- repeated exposure (Oral) organs, Mammary gland, Pituitary gland, Adrenal gland)

Short-term (acute) aquatic : Category 1
hazard

Long-term (chronic) aquatic : Category 1
hazard

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H341 Suspected of causing genetic defects.
H360 May damage fertility or the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
H373 May cause damage to organs (male reproductive organs, female reproductive organs, Mammary gland, Pituitary gland, Adrenal gland) through prolonged or repeated exposure if swallowed.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.
P272 Contaminated work clothing must not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

attention.
P363 Wash contaminated clothing before reuse.
P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Solid

Components

Chemical name	CAS-No.	Concentration (% w/w)
ABIRATERONE ACETATE	154229-18-2	$\geq 30 - < 50$
cellulose	9004-34-6	$\geq 20 - < 30$
NIRAPARIB TOSYLATE MONOHYDRATE	1613220-15-7	$\geq 5 - < 10$
DODECYL SODIUM SULPHATE	151-21-3	$\geq 1 - < 5$
HYDROXYPROPYLMETHYLCELLULOSE (HPMC)	9004-65-3	$\geq 1 - < 5$
Octadecanoic acid, magnesium salt	557-04-0	$\geq 0.1 - < 1$
COLLOIDAL ANHYDROUS SILICA	112945-52-5	$\geq 0.1 - < 1$

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- If inhaled : If breathed in, move person into fresh air.
Consult a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and water.
Consult a physician.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,
for at least 5 minutes.
Remove contact lenses.
If eye irritation persists, consult a specialist.
- If swallowed : If swallowed, rinse mouth with water (only if the person is
conscious).
Call a physician immediately.

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

Most important symptoms and effects, both acute and delayed : anemia
constipation
Increased blood pressure
Nausea
Fatigue
Thrombocytopenia
asthenia

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Hazardous combustion products : No information available.

Further information : No information available.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : In the event of an accidental release the emergency response team must respond based on a risk assessment and use personal protective equipment as appropriate.
Evacuate personnel to safe areas.
Avoid dust formation.
Avoid breathing dust.

Environmental precautions : Should not be released into the environment.
Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up : Large spills: Sweep up or vacuum with HEPA filter or via wet cleaning into suitable containers for disposal.
Pick up and arrange without creating dust. Keep in properly labelled containers.
Small spills: Moisten a towel, cover the spill, pick up the spill or use HEPA vacuum.
Large spills + Small spills: Keep in suitable, closed containers for disposal. Treat recovered material as described in the section "Disposal considerations".

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : No data available

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

Advice on safe handling : Do not break, crush or spill this Finished Pharmaceutical Product.
To avoid thermal decomposition, do not overheat.
Use personal protective equipment as required.
Keep away from heat and sources of ignition.
Avoid inhalation, ingestion and contact with skin and eyes.

Conditions for safe storage : To maintain product quality, do not store in heat or direct sunlight.
Store in original container.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep away from heat and sources of ignition.
Store at room temperature.

Recommended storage temperature : 59 - 86 °F / 15 - 30 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ABIRATERONE ACETATE	154229-18-2	TWA	0.012 mg/m3	J&J OEL/PBOEL HHC
		STV	0,120 mg/100cm ²	J&J OEL/PBOEL HHC
		PBOEL-HHC	3 A	J&J OEL/PBOEL HHC
Further information: J&J has a hazard banding notation: PBOEL HHC. This substance is classified by J&J as being PBOEL HHC 3A., Notation REPRO: has the potential to have adverse effects on reproduction and fetal development, Notation SKIN: has the potential for absorption via the skin.				
cellulose	9004-34-6	TWA	10 mg/m3	ACGIH
			10 mg/m3	ACGIH
		TWA	10 mg/m3	ACGIH
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total	15 mg/m3	OSHA Z-1

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

		dust)		
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
NIRAPARIB TOSYLATE MONOHYDRATE	1613220-15-7	STV	0,010 mg/100cm ²	J&J OEL/PBOEL HHC
		TWA	0.0034 mg/m3	J&J OEL/PBOEL HHC
		PBOEL-HHC	3 B	J&J OEL/PBOEL HHC
	Further information: J&J has a hazard banding notation: PBOEL HHC. This substance is classified by J&J as being PBOEL HHC 3B., Notation REPRO: has the potential to have adverse effects on reproduction and fetal development, Notation DSEN: has the potential to cause delayed allergic skin reaction (sensitization), such as wheals and rashes			
DODECYL SODIUM SULPHATE	151-21-3	TWA	0.5 mg/m3	J&J OEL/PBOEL HHC
		PBOEL-HHC	1 B	J&J OEL/PBOEL HHC
	Further information: J&J has a hazard banding notation: PBOEL HHC. This substance is classified by J&J as being PBOEL HHC 1B., Notation DSEN: has the potential to cause delayed allergic skin reaction (sensitization), such as wheals and rashes, Notation RSEN: has the potential to cause delayed allergic reactions (sensitization), such as shortness of breath, asthma and anaphylaxis.			
HYDROXYPROPYLMETHYLCELLULOSE (HPMC)	9004-65-3	TWA	10 mg/m3	ACGIH
Octadecanoic acid, magnesium salt	557-04-0	TWA (Inhalable particulate)	10 mg/m3	ACGIH

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

		matter)		
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH
COLLOIDAL ANHYDROUS SILICA	112945-52-5	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3
		TWA	6 mg/m3 (Silica)	NIOSH REL

Engineering measures : All personal protective equipment should be based on a risk assessment. Consult a Environment Health Safety expert if necessary.
If this product is processed not in accordance with the prescribed use, contact the Industrial Hygiene / Environment Health Safety Expert to assess the situation.
Validated Industrial Hygiene Analytical methods are developed to monitor and quantify inhalable exposure to the Active Pharmaceutical Ingredient. For more information contact Bureau Veritas Laboratories - Lake Zurich (BV_LZLab@bureauveritas.com) or the Laboratory of Occupational and Environmental Hygiene (lamh.be).

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection
Remarks : Disposable gloves

Eye protection : No special precautions required.

Skin and body protection : closed work clothing

Protective measures : The type of protective equipment must be selected based on the Environmental Health and Safety risk assessment. Consult a Environmental Health and Safety expert if necessary.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : tablet

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

Colour	:	orange
Odour	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under recommended storage conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat. Heat, flames and sparks.
Incompatible materials	:	None known.
Hazardous decomposition products	:	None known.

Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

- Acute oral toxicity : Acute toxicity estimate: 2,694 mg/kg
Method: Calculation method
- Acute inhalation toxicity : Acute toxicity estimate: 25.79 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method
- Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

ABIRATERONE ACETATE:

- Acute oral toxicity : LD50 (Mouse, male and female): > 2,000 mg/kg
Method: Acute oral toxicity
GLP: no
- LD50 (Rat, male): > 400 mg/kg
Method: Acute oral toxicity
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: No adverse effect has been observed in acute toxicity tests.
- Acute inhalation toxicity : Remarks: No data available
- Acute dermal toxicity : Remarks: No data available

cellulose:

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

NIRAPARIB TOSYLATE MONOHYDRATE:

- Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

DODECYL SODIUM SULPHATE:

- Acute oral toxicity : LD50 Oral (Rat): 1,200 mg/kg
Method: OECD Test Guideline 401
Assessment: The component/mixture is moderately toxic after single ingestion.
- Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after short term inhalation.

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg

COLLOIDAL ANHYDROUS SILICA:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Components:

ABIRATERONE ACETATE:

Remarks : No data available

cellulose:

Species : Rabbit

Remarks : No skin irritation

DODECYL SODIUM SULPHATE:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

COLLOIDAL ANHYDROUS SILICA:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Components:

ABIRATERONE ACETATE:

Remarks : No data available

cellulose:

Species : Rabbit

Remarks : No eye irritation

NIRAPARIB TOSYLATE MONOHYDRATE:

Result : Eye irritation

DODECYL SODIUM SULPHATE:

Species : Rabbit

Result : Corrosive to eyes

Method : OECD Test Guideline 405

Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

COLLOIDAL ANHYDROUS SILICA:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation**Components:****ABIRATERONE ACETATE:**

Remarks : No data available

cellulose:

Species : Guinea pig
Remarks : Did not cause sensitisation on laboratory animals.

NIRAPARIB TOSYLATE MONOHYDRATE:

Result : The product is a skin sensitiser, sub-category 1B.

DODECYL SODIUM SULPHATE:

Result : Not a sensitizer

Germ cell mutagenicity**Components:****ABIRATERONE ACETATE:**

Genotoxicity in vitro : Method: Bacterial Reverse Mutation Test OECD 471
Result: negative
GLP: yes

Test system: Human lymphocytes
Method: In vitro Mammalian Chromosome Aberration Test
OECD 473
Result: negative
GLP: yes

Genotoxicity in vivo : Species: Rat
Application Route: Oral
Method: In vivo Mammalian Erythrocyte Micronucleus Test
OECD 474
Result: negative
GLP: yes

Germ cell mutagenicity - Assessment : No evidence of mutagenicity based on in vitro and in vivo studies and expert judgment.

NIRAPARIB TOSYLATE MONOHYDRATE:

Genotoxicity in vitro : Test system: Salmonella typhimurium
Method: Bacterial Reverse Mutation Test

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

Result: negative
GLP: yes

Test system: rat hepatocytes
Method: Other in vitro tests
Result: positive
GLP: no

Test system: Chinese hamster ovary cells
Method: In vitro Mammalian Chromosome Aberration Test
Result: positive
GLP: yes

Genotoxicity in vivo : Species: Rat
Method: In vivo Mammalian Erythrocyte Micronucleus Test
OECD 474
Result: positive
GLP: yes

Germ cell mutagenicity - Assessment : Suspected of causing genetic defects, based on positive evidence obtained from in vitro and in vivo studies and expert judgment.

DODECYL SODIUM SULPHATE:

Genotoxicity in vitro : Method: OECD Test Guideline 471
Result: negative

Carcinogenicity

Components:

ABIRATERONE ACETATE:

Species : Mouse, male and female
Application Route : Oral
Exposure time : 26 w
Dose : 125-375-750 mg/kg body weight
Result : No evidence of carcinogenicity in animal studies.
GLP : yes

Species : Rat, male
Application Route : Oral
Exposure time : 104 w
Dose : 5-15-50 mg/kg body weight
Result : positive
GLP : yes
Remarks : The observed tumors do not appear to be relevant for men.

Species : Rat, female
Application Route : Oral
Exposure time : 104 w
Dose : 15-50-150 mg/kg body weight
Result : negative

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

GLP : yes

Carcinogenicity - Assessment : The observed tumors do not appear to be relevant for men.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Components:

ABIRATERONE ACETATE:

Effects on fertility : Species: Rat, male
Application Route: Oral
Dose: 30 - 300 mg/kg
General Toxicity - Parent: NOAEL: < 30 mg/kg
GLP: yes
Remarks: Adverse effects on sexual function and fertility.

Species: Rat, female
Application Route: Oral
Dose: 30 - 300 mg/kg
General Toxicity - Parent: NOAEL: < 30 mg/kg
GLP: yes
Remarks: Adverse effects on sexual function and fertility.

Effects on foetal development : Species: Rat
Application Route: Oral
Dose: 10 - 30 - 100 mg/kg
General Toxicity Maternal: NOAEL: < 10 mg/kg
Teratogenicity: NOAEL: > 100 mg/kg
Method: Developmental Toxicity
GLP: yes
Remarks: Did not show teratogenic effects in animal experiments.

Reproductive toxicity - Assessment : Sufficient evidence of reprotoxicity based on animals.

Teratogenicity - Assessment : No evidence of adverse effects on development.

NIRAPARIB TOSYLATE MONOHYDRATE:

Reproductive toxicity - Assessment : Limited evidence of reprotoxicity in animal studies and/or human studies.

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

Teratogenicity - Assessment : Limited evidence of adverse effects on development in animal studies and/ or human studies.

DODECYL SODIUM SULPHATE:

Effects on fertility : Remarks: negative

STOT - single exposure

Components:

ABIRATERONE ACETATE:

Remarks : No data available

DODECYL SODIUM SULPHATE:

Exposure routes : Inhalation
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT - repeated exposure

Components:

ABIRATERONE ACETATE:

Exposure routes : Oral
Target Organs : male reproductive organs, female reproductive organs, Mammary gland, Pituitary gland, Adrenal gland
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

NIRAPARIB TOSYLATE MONOHYDRATE:

Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

ABIRATERONE ACETATE:

Species : Rat, male and female
NOAEL : < 50 mg/kg
Application Route : Oral
Exposure time : 3m
Dose : 10d 250-750-2000->50-250-750
Subsequent observation period : 1m
GLP : yes

Species : Rat, male
NOAEL : < 50 mg/kg

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

Application Route : Oral
Exposure time : 6m
Dose : 50-150-400 mg/kg
GLP : yes

Species : Rat, female
NOAEL : 50 mg/kg
Application Route : Oral
Exposure time : 6m
Dose : 50-150-400 mg/kg
GLP : yes

Species : Monkey, male and female
NOAEL : < 250 mg/kg
Application Route : Oral
Exposure time : 3m
Dose : 250-750-200mg/kg
Subsequent observation period : 1m
GLP : yes

Species : Monkey, male and female
NOAEL : < 250 mg/kg
Application Route : Oral
Exposure time : 9m
Dose : 250-500-1000mg/kg
Subsequent observation period : 4w
GLP : yes

NIRAPARIB TOSYLATE MONOHYDRATE:

Species : Rat, female
LOLo : 750 mg/kg
Application Route : Oral
Exposure time : 8d
Number of exposures : daily

Species : Rat
NOAEL : 10 mg/kg
Application Route : Oral
Exposure time : 1m
Number of exposures : daily

Species : Dog
NOAEL : 3 mg/kg
Application Route : Oral
Exposure time : 1m
Number of exposures : daily

Aspiration toxicity

No data available

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

Components:

NIRAPARIB TOSYLATE MONOHYDRATE:

Remarks : cytostatic

Other health hazards

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

ABIRATERONE ACETATE:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.13 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.065 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.25 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1.0 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
GLP: yes

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

		EbC50 (Pseudokirchneriella subcapitata (green algae)): > 1.0 mg/l End point: Growth rate Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes NOEC (Pseudokirchneriella subcapitata (green algae)): 1.0 mg/l End point: Growth rate Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes
M-Factor (Acute aquatic toxicity)	: 1	
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 0.0011 mg/l Exposure time: 32 d Test Type: Fish early-life stage (FELS) toxicity test (OECD 210) Method: OECD Test Guideline 210 GLP: yes	
		NOEC (Pimephales promelas (fathead minnow)): 0.000013 mg/l Exposure time: 119 d Test Type: Fish partial life cycle toxicity test Method: OECD Test Guideline 229 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.00047 mg/l Exposure time: 21 d Test Type: Daphnia reproduction test Method: OECD Test Guideline 211 GLP: yes	
M-Factor (Chronic aquatic toxicity)	: 1,000	
Toxicity to microorganisms	: NOEC (activated sludge): > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 GLP: yes	
		EC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 GLP: yes

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

		NOEC (Soil microorganisms): 250 Exposure time: 28 d Test Type: Nitrogen transformation Method: OECD Test Guideline 216 GLP: yes
Toxicity to soil dwelling organisms	:	Test Type: Acute toxicity NOEC (Eisenia fetida (earthworms)): 500 mg/kg Exposure time: 14 d Method: OECD Test Guideline 207 GLP: yes Test Type: Acute toxicity EC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg Exposure time: 14 d Method: OECD Test Guideline 207 GLP: yes Test Type: Reproduction Test NOEC (Springtail (Collembola)): 500 mg/kg Exposure time: 28 d Method: ISO 11267 GLP: yes Test Type: Reproduction Test EC50 (Springtail (Collembola)): 670 mg/kg Exposure time: 28 d Method: ISO 11267 GLP: yes
Plant toxicity	:	NOEC: 100 mg/kg Exposure time: 14 d Species: Terrestrial plants Method: OECD Test Guideline 208 GLP: yes EC50: > 100 mg/kg Exposure time: 14 d Species: Terrestrial plants Method: OECD Test Guideline 208 GLP: yes

NIRAPARIB TOSYLATE MONOHYDRATE:

Toxicity to fish	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 0.32 mg/l End point: Growth rate Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.32 mg/l
End point: Biomass
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
GLP: yes

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.032 mg/l
Exposure time: 32 d
Test Type: Fish early-life stage (FELS) toxicity test (OECD 210)
Method: OECD Test Guideline 210
GLP: yes

LOEC (Pimephales promelas (fathead minnow)): 0.10 mg/l
Exposure time: 32 d
Test Type: Fish early-life stage (FELS) toxicity test (OECD 210)
Method: OECD Test Guideline 210
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.32 mg/l
Exposure time: 21 d
Test Type: Daphnia reproduction test
Method: OECD Test Guideline 211
GLP: yes

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : NOELR (activated sludge): <= 32 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
GLP: yes

DODECYL SODIUM SULPHATE:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 29 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Ceriodaphnia dubia (water flea)): 5.55 mg/l
Exposure time: 48 h
Test Type: flow-through test

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 120 mg/l
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) :

Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1 mg/l

HYDROXYPROPYLMETHYLCELLULOSE (HPMC):

Toxicity to fish : Remarks: No data available

COLLOIDAL ANHYDROUS SILICA:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 24 h

Persistence and degradability

Components:

ABIRATERONE ACETATE:

Biodegradability : aerobic
Inoculum: activated sludge
Result: Not readily biodegradable.
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

Stability in water : Test Type: aerobic
Degradation half life (DT50): 2.3 Days
Method: OECD Test Guideline 308
GLP: yes
Remarks: Fresh water 1

Test Type: aerobic
Degradation half life (DT50): 2.3 Days
Method: OECD Test Guideline 308
GLP: yes
Remarks: Fresh water 2

Test Type: aerobic
Degradation half life (DT50): 4.9 Days
Method: OECD Test Guideline 308
GLP: yes
Remarks: total system 1

Test Type: aerobic
Degradation half life (DT50): 3.3 Days
Method: OECD Test Guideline 308
GLP: yes
Remarks: total system 2

NIRAPARIB TOSYLATE MONOHYDRATE:

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

Biodegradability : Remarks: No data available

Stability in water : Test Type: aerobic
Degradation half life (DT50): 225 d
Method: OECD Test Guideline 308
GLP: yes
Remarks: total system 1

Test Type: aerobic
Degradation half life (DT50): 1.1 d
Method: OECD Test Guideline 308
GLP: yes
Remarks: Fresh water 1

Test Type: aerobic
Degradation half life (DT50): 349 d
Method: OECD Test Guideline 308
GLP: yes
Remarks: sediment 1

Test Type: aerobic
Degradation half life (DT90): 863 d
Method: OECD Test Guideline 308
GLP: yes
Remarks: total system 1

Test Type: aerobic
Degradation half life (DT90): 8.3 d
Method: OECD Test Guideline 308
GLP: yes
Remarks: Fresh water 1

Test Type: aerobic
Degradation half life (DT90): 1,160 d
Method: OECD Test Guideline 308
GLP: yes
Remarks: sediment 1

Test Type: aerobic
Degradation half life (DT50): 155 d
Method: OECD Test Guideline 308
GLP: yes
Remarks: total system 2

Test Type: aerobic
Degradation half life (DT50): 6.5 d
Method: OECD Test Guideline 308
GLP: yes
Remarks: Fresh water 2

Test Type: aerobic
Degradation half life (DT50): 469 d
Method: OECD Test Guideline 308

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

GLP: yes
Remarks: sediment 2

Test Type: aerobic
Degradation half life (DT90): 979 d
Method: OECD Test Guideline 308
GLP: yes
Remarks: total system 2

Test Type: aerobic
Degradation half life (DT90): 38 d
Method: OECD Test Guideline 308
GLP: yes
Remarks: Fresh water 2

Test Type: aerobic
Degradation half life (DT90): 1,560 d
Method: OECD Test Guideline 308
GLP: yes
Remarks: sediment 2

DODECYL SODIUM SULPHATE:

Biodegradability : Result: Readily biodegradable.

Biochemical Oxygen Demand (BOD) : > 60 %(m)

Dissolved organic carbon (DOC) : > 70 %(m)

HYDROXYPROPYLMETHYLCELLULOSE (HPMC):

Biodegradability : Remarks: No data available

COLLOIDAL ANHYDROUS SILICA:

Biodegradability : Remarks: No data available

Bioaccumulative potential

Components:

ABIRATERONE ACETATE:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 625
Exposure time: 18 d
Method: OECD Test Guideline 305
GLP: yes

Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 576
Exposure time: 18 d
Method: OECD Test Guideline 305

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

GLP: yes

Partition coefficient: n-octanol/water : log Pow: > 6.20
Method: OECD Test Guideline 117
GLP: yes

NIRAPARIB TOSYLATE MONOHYDRATE:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : log Pow: -0.6
pH: 5
Method: OECD Test Guideline 107
GLP: yes

log Pow: 0.2
pH: 7
Method: OECD Test Guideline 107
GLP: yes

log Pow: 2.1
pH: 9
Method: OECD Test Guideline 107
GLP: yes

DODECYL SODIUM SULPHATE:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : log Pow: 0.83 (68 °F / 20 °C)

HYDROXYPROPYLMETHYLCELLULOSE (HPMC):

Bioaccumulation : Remarks: No data available

Octadecanoic acid, magnesium salt:

Partition coefficient: n-octanol/water : Remarks: No data available

COLLOIDAL ANHYDROUS SILICA:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : Remarks: No data available

Mobility in soil

Components:

ABIRATERONE ACETATE:

Distribution among : Adsorption/Soil

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

environmental compartments Koc: 269470 - 363061
Method: OECD Test Guideline 106

Adsorption/Activated sludge
Koc: 7705 - 11806
Method: OECD Test Guideline 106

Stability in soil : Test Type: Aerobic transformation in soil
Dissipation time: 18 Days
Method: OECD Test Guideline 307
GLP: yes
Remarks: soil 1

NIRAPARIB TOSYLATE MONOHYDRATE:

Distribution among : Adsorption/Soil
environmental compartments Koc: 34073 - 173972
Method: OECD Test Guideline 106

Adsorption/Activated sludge
Koc: 1597 - 3483
Method: OECD Test Guideline 106

DODECYL SODIUM SULPHATE:

Mobility : Remarks: No data available

Distribution among : Remarks: No data available
environmental compartments

HYDROXYPROPYLMETHYLCELLULOSE (HPMC):

Distribution among : Remarks: No data available
environmental compartments

COLLOIDAL ANHYDROUS SILICA:

Distribution among : Remarks: No data available
environmental compartments

Other adverse effects

Components:

ABIRATERONE ACETATE:

Results of PBT and vPvB : Non-classified PBT substance
assessment

DODECYL SODIUM SULPHATE:

Environmental fate and : No data available
pathways

Results of PBT and vPvB : Substance is not persistent, bioaccumulative, and toxic (PBT).

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

assessment

Additional ecological information : No data available

HYDROXYPROPYLMETHYLCELLULOSE (HPMC):

Results of PBT and vPvB assessment : No information available.

Additional ecological information : No data available

COLLOIDAL ANHYDROUS SILICA:

Results of PBT and vPvB assessment : No information available.

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : In accordance with National, Federal, State and Local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(abiraterone acetate)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(abiraterone acetate)
Class : 9
Packing group : III
Labels : 9
Packing instruction (cargo) : 956

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

aircraft)
Packing instruction (LQ) : Y956
Packing instruction (EQ) : E1
Packing instruction : 956
(passenger aircraft)
Packing instruction (LQ) : Y956
Remarks : Special Provision A197: Environmentally hazardous substances, classified under UN 3077 or UN 3082, when transported in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass of 5 kg or less for solids, are not subject to any other provisions of the IATA DGR provided the packagings meet the general provisions of IATA DGR 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8., This substance can be shipped under 'de minimi's quantities' provisions if the net quantity per inner package <= 1mL for liquids or <= 1g for solids and the net quantity per outer package does not exceed 100mL for liquids or 100g for solids and provided packaging provisions of IATA DGR §2.6.10 are met. Special Provision A197: Environmentally hazardous substances, classified under UN 3077 or UN 3082, when transported in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass of 5 kg or less for solids, are not subject to any other provisions of the IATA DGR provided the packagings meet the general provisions of IATA DGR 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8., This substance can be shipped under 'de minimi's quantities' provisions if the net quantity per inner package <= 1mL for liquids or <= 1g for solids and the net quantity per outer package does not exceed 100mL for liquids or 100g for solids and provided packaging provisions of IATA DGR §2.6.10 are met.

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(abiraterone acetate)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : 2.10.2.7: Environmentally Hazardous Substances/Marine Pollutants, classified under UN 3077 or UN 3082, packaged in single or combination packagings containing a net quantity per single of inner packaging of 5L or less for liquids or having a net mass per single of inner packaging of 5kg or less for solids are not subject to the IMDG provided the packagings meet the general requirements of 4.1.1.1, 4.1.1.2, and 4.1.1.4 to 4.1.1.8., This substance can be shipped under 'de minimi's quantities' provisions if the net quantity per inner package <= 1mL for liquids or <= 1g for solids and the net quantity per outer package does not exceed 100mL for liquids or 100g for

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

solids and provided packaging provisions of ADR/RID/ADN/IMDG §3.5.1.4 are met.2.10.2.7: Environmentally Hazardous Substances/Marine Pollutants, classified under UN 3077 or UN 3082, packaged in single or combination packagings containing a net quantity per single of inner packaging of 5L or less for liquids or having a net mass per single of inner packaging of 5kg or less for solids are not subject to the IMDG provided the packagings meet the general requirements of 4.1.1.1, 4.1.1.2, and 4.1.1.4 to 4.1.1.8., This substance can be shipped under 'de minimi's quantities' provisions if the net quantity per inner package <= 1mL for liquids or <= 1g for solids and the net quantity per outer package does not exceed 100mL for liquids or 100g for solids and provided packaging provisions of ADR/RID/ADN/IMDG §3.5.1.4 are met.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

UN/ID/NA number	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (abiraterone acetate)
Class	: 9
Packing group	: III
Labels	: 9
ERG Code	: 171
Marine pollutant	: yes
Remarks	: 49 CFR 171.4 - Marine Pollutant Exception: Except when transporting aboard a vessel, the requirements of this subchapter do not apply to non-bulk packagings transported by motor vehicles, rail cars, and aircraft., This substance can be shipped under 'de minimi's quantities' provisions if the net quantity per inner package <= 1mL for liquids or <= 1g for solids and the net quantity per outer package does not exceed 100mL for liquids or 100g for solids and provided packaging provisions of 49 CFR 173.4b are met.49 CFR 171.4 - Marine Pollutant Exception: Except when transporting aboard a vessel, the requirements of this subchapter do not apply to non-bulk packagings transported by motor vehicles, rail cars, and aircraft., This substance can be shipped under 'de minimi's quantities' provisions if the net quantity per inner package <= 1mL for liquids or <= 1g for solids and the net quantity per outer package does not exceed 100mL for liquids or 100g for solids and provided packaging provisions of 49 CFR 173.4b are met.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET



Version	Revision Date:	SDS Number:	Date of last issue: 2024/02/06
1.8	2024/03/02	100000018375	Date of first issue: 2023/06/19

SECTION 15. REGULATORY INFORMATION

US State Regulations

Massachusetts Right To Know

cellulose 9004-34-6

Pennsylvania Right To Know

ABIRATERONE ACETATE 154229-18-2
cellulose 9004-34-6
D-Glucose, 4-O-beta-D-galactopyranosyl-, hydrate (1:1) 64044-51-5
NIRAPARIB TOSYLATE MONOHYDRATE 1613220-15-7
CROSPVIDONE 9003-39-8
DODECYL SODIUM SULPHATE 151-21-3

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California Prop. 65

WARNING: This product can expose you to chemicals including ABIRATERONE ACETATE, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances

CROSPVIDONE 9003-39-8

California Permissible Exposure Limits for Chemical Contaminants

cellulose 9004-34-6

Other regulations

Restricted to professional users.
Medicinal products in the finished state, intended for the final user, are not subject to GHS labeling.

This product is not subject to TSCA and TSCA 12(b) Export notification because Food, Drugs and cosmetic products are exempt.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : US. ACGIH Threshold Limit Values
ACGIH : USA. ACGIH Threshold Limit Values (TLV)
J&J OEL/PBOEL HHC : J&J OEL/PBOEL HHC
NIOSH REL : USA. NIOSH Recommended Exposure Limits

SAFETY DATA SHEET



Version 1.8	Revision Date: 2024/03/02	SDS Number: 100000018375	Date of last issue: 2024/02/06 Date of first issue: 2023/06/19
----------------	------------------------------	-----------------------------	---

OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	Time weighted average
ACGIH / TWA	:	8-hour, time-weighted average
J&J OEL/PBOEL HHC / STV	:	STV: Surface Target Value
J&J OEL/PBOEL HHC / TWA	:	Time weighted average
J&J OEL/PBOEL HHC / PBOEL-HHC	:	PBOEL-HHC
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

SAFETY DATA SHEET



Version	Revision Date:	SDS Number:	Date of last issue: 2024/02/06
1.8	2024/03/02	100000018375	Date of first issue: 2023/06/19

Revision Date : 2024/03/02

Date and Number Formats

This document uses the following notation for printing dates and numbers:

Date: Dec 31th, 2012 as 2012/12/31

Numbers: 123456,78 as 123,456.78

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN