

# SAFETY DATA SHEET



## INTELENCE

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/04
6.0	2025/09/10	100000010297	Date of first issue: 2014/07/09

### SECTION 1. IDENTIFICATION

Product name : INTELENCE  
Substance name : INTELENCE 200 mg tablets  
etravirine

#### Manufacturer or supplier's details

Company name of supplier : Janssen Pharmaceuticals, Inc.

Address : 1125 Trenton-Harbourton Rd  
Titusville NJ 08560  
USA

Telephone : +16097302000

E-mail address of person responsible for the SDS : SDSJanssen@its.jnj.com

Emergency telephone number : **CHEMTREC US: 1-800-424-9300**  
**CHEMTREC International: +1 703-741-5970**

#### Recommended use of the chemical and restrictions on use

Recommended use : Finished Pharmaceutical Product  
Pharmacotherapeutic group: Antivirals for systemic use  
This SDS is only intended for occupational use and not for consumer use (see patient packaging insert for consumer use). This SDS is written to provide environmental, health and safety information for personnel that will be handling this finished pharmaceutical product. For health and safety information during manufacturing of this product we refer to the appropriate SDS for each component.  
This dosage form is exempt from the requirements of the OSHA Hazard Communication Standard (US OSHA Standard 29 CFR Part 1910.1200).

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### GHS label elements

Not a hazardous substance or mixture.

**INTELENCE**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/04
6.0	2025/09/10	100000010297	Date of first issue: 2014/07/09

**Additional Labelling**

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity:  
41.5266 %

**Other hazards**

This Finished Pharmaceutical Product is non-hazardous based on chemical classification rules.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : Solid

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
hydroxypropylmethylcellulose	9004-65-3	>= 30 - < 50
cellulose	9004-34-6	>= 30 - < 50
ETRAVIRINE	269055-15-4	>= 10 - < 20
colloidal anhydrous silica	112945-52-5	>= 0.1 - < 1
Octadecanoic acid, magnesium salt	557-04-0	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

- If inhaled : If breathed in, move person into fresh air.  
Consult a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and water.  
If symptoms persist, call a physician.
- In case of eye contact : Remove contact lenses.  
Rinse immediately with plenty of water, also under the eyelids,  
for at least 5 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : If swallowed, rinse mouth with water (only if the person is  
conscious).  
Call a physician immediately.
- Most important symptoms and effects, both acute and delayed : Consult the patient packaging insert for more information  
about this Finished Pharmaceutical Product.  
Blood disorders  
Diarrhoea  
Kidney disorders  
nausea  
Rash
- Notes to physician : Treat symptomatically.  
Consult the patient packaging insert for more information

**INTELENCE**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/04
6.0	2025/09/10	100000010297	Date of first issue: 2014/07/09

about this Finished Pharmaceutical Product.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Hazardous combustion products : No hazardous combustion products are known
- Further information : No information available.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Avoid breathing dust.  
Evacuate personnel to safe areas.  
In the event of an accidental release the emergency response team must respond based on a risk assessment and use personal protective equipment as appropriate.
- Environmental precautions : Should not be released into the environment.
- Methods and materials for containment and cleaning up : Large spills + Small spills: Keep in suitable, closed containers for disposal. Treat recovered material as described in the section "Disposal considerations".  
Large spills: Sweep up (intact) or vacuum with HEPA filter (broken or crushed) or via wet cleaning into suitable containers for disposal. Pick up and arrange without creating dust. Keep in properly labelled containers.  
Small spills: Moisten a towel, cover the spill, pick up the spill or use HEPA vacuum.

**SECTION 7. HANDLING AND STORAGE**

- Advice on protection against fire and explosion : No data available
- Advice on safe handling : Avoid inhalation, ingestion and contact with skin and eyes.  
Keep away from heat and sources of ignition.  
To avoid thermal decomposition, do not overheat.  
Do not break, crush or spill this Finished Pharmaceutical Product.  
Use personal protective equipment as required.
- Conditions for safe storage : Keep away from heat and sources of ignition.  
Keep containers tightly closed in a dry, cool and well-ventilated place.  
Store at room temperature in the original container.

# SAFETY DATA SHEET



## INTELENCE

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/04
6.0	2025/09/10	100000010297	Date of first issue: 2014/07/09

To maintain product quality, do not store in heat or direct sunlight.

Recommended storage temperature : 59 - 77 °F / 15 - 25 °C

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
hydroxypropylmethylcellulose	9004-65-3	TWA	10 mg/m <sup>3</sup>	ACGIH
cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable)	5 mg/m <sup>3</sup>	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Total dust)	15 mg/m <sup>3</sup>	OSHA P0
		TWA (respirable dust fraction)	5 mg/m <sup>3</sup>	OSHA P0
ETRAVIRINE	269055-15-4	TWA	0.870 mg/m <sup>3</sup>	J&J OEL/PBOEL HHC
		PBOEL-HHC	1 B	J&J OEL/PBOEL HHC
	Further information: J&J has a hazard banding notation: PBOEL HHC. This substance is classified by J&J as being PBOEL HHC 1B.			
colloidal anhydrous silica	112945-52-5	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m <sup>3</sup> / %SiO <sub>2</sub> (Silica)	OSHA Z-3
		TWA	6 mg/m <sup>3</sup> (Silica)	NIOSH REL
Octadecanoic acid, magnesium salt	557-04-0	TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH

# SAFETY DATA SHEET



## INTELENCE

Version 6.0      Revision Date: 2025/09/10      SDS Number: 100000010297      Date of last issue: 2024/09/04  
Date of first issue: 2014/07/09

		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH
--	--	--	---------------------	-------

**Engineering measures** : All personal protective equipment should be based on a risk assessment. Consult a Environment Health Safety expert if necessary.  
If this product is processed not in accordance with the prescribed use, contact the Industrial Hygiene / Environment Health Safety Expert to assess the situation.  
Validated Industrial Hygiene Analytical methods are developed to monitor and quantify inhalable exposure to the Active Pharmaceutical Ingredient. For more information contact Bureau Veritas Laboratories - Lake Zurich (BV\_LZLab@bureauveritas.com) or the Laboratory of Occupational and Environmental Hygiene (lamh.be).

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection  
Remarks : Disposable gloves

Eye protection : No special precautions required.

Skin and body protection : closed work clothing

Protective measures : The type of protective equipment must be selected based on the Environmental Health and Safety risk assessment. Consult a Environmental Health and Safety expert if necessary.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : tablet  
Colour : white, off-white  
Odour : No data available  
pH : No data available  
Melting point/ range : No data available  
Boiling point/boiling range : No data available

# SAFETY DATA SHEET



## INTELENCE

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/04
6.0	2025/09/10	100000010297	Date of first issue: 2014/07/09

Flash point : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : No data available

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : Heat, flames and sparks.  
To avoid thermal decomposition, do not overheat.

Incompatible materials : None known.

Hazardous decomposition products : None known.

**INTELENCE**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/04
6.0	2025/09/10	100000010297	Date of first issue: 2014/07/09

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity****Product:**

Acute oral toxicity : Acute toxicity estimate: 3,501 mg/kg  
Method: Calculation method

**Components:****cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

**ETRAVIRINE:**

Acute oral toxicity : LD50 (Rat, male and female): > 640 mg/kg  
Target Organs: Liver

Assessment: The component/mixture is moderately toxic after single ingestion.

**colloidal anhydrous silica:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

**Skin corrosion/irritation****Components:****cellulose:**

Species : Rabbit  
Remarks : No skin irritation

**ETRAVIRINE:**

Species : Rabbit  
Result : No skin irritation

**colloidal anhydrous silica:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation****Components:****cellulose:**

Species : Rabbit  
Remarks : No eye irritation

**INTELENCE**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/04
6.0	2025/09/10	100000010297	Date of first issue: 2014/07/09

**ETRAVIRINE:**

Result : Mild eye irritation  
Method : In vitro BCOP (Bovine Corneal Opacity and Permeability) assay

**colloidal anhydrous silica:**

Species : Rabbit  
Result : No eye irritation

**Respiratory or skin sensitisation****Components:****cellulose:**

Species : Guinea pig  
Remarks : Did not cause sensitisation on laboratory animals.

**ETRAVIRINE:**

Test Type : Maximisation Test  
Species : Guinea pig  
Result : Not a skin sensitizer.

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Result : Not a skin sensitizer.

**Germ cell mutagenicity****Components:****ETRAVIRINE:**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative

Test Type: A mouse lymphoma test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Human lymphocytes  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: mouse lymphoma cells  
Result: negative

Genotoxicity in vivo : Test Type: in vivo assay  
Species: Mouse  
Cell type: Bone marrow  
Result: negative

**INTELENCE**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/04
6.0	2025/09/10	100000010297	Date of first issue: 2014/07/09

**Carcinogenicity****Components:****ETRAVIRINE:**

Species : Mouse  
 Application Route : Oral  
 Exposure time : 24 m  
 Dose : 50, 200, 400 mg/kg body weight  
 Result : No evidence of carcinogenicity in animal studies.

Species : Rat  
 Application Route : Oral  
 Exposure time : 24 m  
 Dose : 40, 200, 600 mg/kg body weight  
 Result : No evidence of carcinogenicity in animal studies.

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity****Components:****ETRAVIRINE:**

Effects on fertility : Species: Rat  
 Application Route: Oral  
 Dose: 506 mg/kg  
 Remarks: Fertility and developmental toxicity tests did not reveal any effect on reproduction.

Species: Rat  
 Application Route: Oral  
 Dose: 1000 mg/kg  
 General Toxicity - Parent: NOAEL: 1,000 mg/kg

Species: Rabbit  
 Application Route: Oral  
 Dose: 375 mg/kg  
 General Toxicity - Parent: NOAEL: 125 mg/kg

Effects on foetal development : Remarks: Did not show teratogenic effects in animal experiments.

**INTELENCE**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/04
6.0	2025/09/10	100000010297	Date of first issue: 2014/07/09

**STOT - single exposure****Components:****ETRAVIRINE:**

Remarks : No data available

**STOT - repeated exposure****Components:****ETRAVIRINE:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Repeated dose toxicity****Components:****ETRAVIRINE:**

Species	: Rat
NOAEL	: 320 mg/kg
Application Route	: Oral
Exposure time	: 1 month
Number of exposures	: 24h

**Aspiration toxicity**

No data available

**Experience with human exposure**

No data available

**Toxicology, Metabolism, Distribution**

No data available

**Neurological effects**

No data available

**Further information**

No data available

**Other health hazards**

No data available

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****hydroxypropylmethylcellulose:**

Toxicity to fish : Remarks: No data available

**INTELENCE**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/04
6.0	2025/09/10	100000010297	Date of first issue: 2014/07/09

**cellulose:**

Toxicity to fish : Remarks: No data available

**ETRAVIRINE:**

Toxicity to algae/aquatic plants : EC50 (Scenedesmus subspicatus (fresh water algae)): > 4.9 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Scenedesmus subspicatus (fresh water algae)): 4.9 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.0049 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201  
GLP: yes

EbC50 (Pseudokirchneriella subcapitata (green algae)): > 0.0049 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201  
GLP: yes

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.0049 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201  
GLP: yes

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 0.01 mg/l  
Exposure time: 35 Days  
Method: OECD Test Guideline 210

NOEC (Brachydanio rerio (zebrafish)): 0.01 mg/l  
Exposure time: 28 d  
Test Type: Fish early-life stage (FELS) toxicity test (OECD 210)  
Method: OECD Test Guideline 210  
GLP: yes

**INTELENCE**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/04
6.0	2025/09/10	100000010297	Date of first issue: 2014/07/09

- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) :
- NOEC (*Daphnia magna* (Water flea)): 0.0091 mg/l
  - Exposure time: 21 Days
  - Test Type: Daphnia reproduction test
  - Method: OECD Test Guideline 211
  - GLP: yes
- NOEC (*Chironomus riparius* (Midge larvae)): 0.02 mg/l
- Exposure time: 28 d
  - Test Type: Toxicity to sediment dwelling organisms
  - Method: OECD Test Guideline 219
  - GLP: yes
- Toxicity to microorganisms :
- EC50 (activated sludge): > 1,000 mg/l
  - Exposure time: 3 h
  - Test Type: Respiration inhibition
  - Method: OECD Test Guideline 209
  - GLP: yes
- NOEC (activated sludge): >= 1,000 mg/l
- Exposure time: 3 h
  - Test Type: Respiration inhibition
  - Method: OECD Test Guideline 209
  - GLP: yes
- NOEC (Soil microorganisms): 100 mg/kg
- Exposure time: 28 d
  - Test Type: Nitrogen transformation
  - Method: OECD Test Guideline 216
  - GLP: yes
- Toxicity to soil dwelling organisms :
- Test Type: Reproduction Test
  - NOEC (*Springtail* (*Collembola*)): > 1,000 mg/kg
  - Exposure time: 28 d
  - Method: ISO 11267
  - GLP: yes
- LC50 (*Eisenia fetida* (earthworms)): > 1,000 mg/kg
- Exposure time: 14 d
  - Method: OECD TG 207
- Test Type: Acute toxicity
- EC50 (*Eisenia fetida* (earthworms)): > 1,000 mg/kg
- Exposure time: 14 d
  - Method: OECD Test Guideline 207
  - GLP: yes
- Test Type: Acute toxicity
- NOEC (*Eisenia fetida* (earthworms)): 1,000 mg/kg
- Exposure time: 14 d
  - Method: OECD Test Guideline 207
  - GLP: yes

**INTELENCE**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/04
6.0	2025/09/10	100000010297	Date of first issue: 2014/07/09

Plant toxicity : NOEC: 76 mg/kg  
 Test period: 21 d  
 Species: Terrestrial plants  
 Method: OECD Test Guideline 208  
 GLP: yes

**colloidal anhydrous silica:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10,000 mg/l  
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l  
 Exposure time: 24 h

**Persistence and degradability****Components:****hydroxypropylmethylcellulose:**

Biodegradability : Remarks: No data available

**ETRAVIRINE:**

Stability in water : Test Type: aerobic  
 Degradation half life (DT50): 0.6 d  
 Method: OECD Test Guideline 308  
 GLP: yes  
 Remarks: Fresh water 1

Degradation half life (DT90): 1.1 d  
 Method: OECD Test Guideline 308  
 Remarks: aerobic

Test Type: aerobic  
 Degradation half life (DT50): 2 d  
 Method: OECD Test Guideline 308  
 GLP: yes  
 Remarks: Fresh water 2

Degradation half life (DT90): 3.6 d  
 Method: OECD Test Guideline 308  
 Remarks: aerobic

Test Type: anaerobic  
 Degradation half life (DT50): 3.2 d  
 Method: OECD Test Guideline 308  
 GLP: yes  
 Remarks: Fresh water 1

**colloidal anhydrous silica:**

Biodegradability : Remarks: No data available

**INTELENCE**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/04
6.0	2025/09/10	100000010297	Date of first issue: 2014/07/09

**Bioaccumulative potential****Components:****hydroxypropylmethylcellulose:**

Bioaccumulation : Remarks: No data available

**ETRAVIRINE:**

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)  
Bioconcentration factor (BCF): 370.3  
Exposure time: 14 d  
Method: OECD Test Guideline 305  
GLP: yes

Species: Oncorhynchus mykiss (rainbow trout)  
Bioconcentration factor (BCF): 476.9  
Exposure time: 14 d  
Method: OECD Test Guideline 305  
GLP: yes

Partition coefficient: n-octanol/water : Pow: 3.4  
Method: OECD Test Guideline 117  
GLP: yes

**colloidal anhydrous silica:**

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : Remarks: No data available

**Octadecanoic acid, magnesium salt:**

Partition coefficient: n-octanol/water : Remarks: No data available

**Mobility in soil****Components:****hydroxypropylmethylcellulose:**

Distribution among environmental compartments : Remarks: No data available

**ETRAVIRINE:**

Distribution among environmental compartments : Adsorption/HPLC  
Koc: 16617  
Method: OECD Test Guideline 121

Stability in soil : Test Type: Aerobic transformation in soil  
Dissipation time: 587 Days  
Method: OECD Test Guideline 307

# SAFETY DATA SHEET



## INTELENCE

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/04
6.0	2025/09/10	100000010297	Date of first issue: 2014/07/09

GLP: yes

### colloidal anhydrous silica:

Distribution among environmental compartments : Remarks: No data available

### Other adverse effects

#### Components:

#### hydroxypropylmethylcellulose:

Results of PBT and vPvB assessment : No information available.

Additional ecological information : No data available

#### colloidal anhydrous silica:

Results of PBT and vPvB assessment : No information available.

Additional ecological information : No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : In accordance with National, Federal, State and Local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**INTELENCE**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/04
6.0	2025/09/10	100000010297	Date of first issue: 2014/07/09

**National Regulations****49 CFR**

Not regulated as a dangerous good

**SECTION 15. REGULATORY INFORMATION****SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**US State Regulations****Massachusetts Right To Know**

cellulose	9004-34-6
-----------	-----------

**Pennsylvania Right To Know**

hydroxypropylmethylcellulose	9004-65-3
cellulose	9004-34-6
ETRAVIRINE	269055-15-4
croscarmellose sodium	74811-65-7

**Maine Chemicals of High Concern**

Product does not contain any listed chemicals

**Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

**Washington Chemicals of High Concern**

Product does not contain any listed chemicals

**California Permissible Exposure Limits for Chemical Contaminants**

cellulose	9004-34-6
-----------	-----------

**The components of this product are reported in the following inventories:**

: This product is not subject to TSCA and TSCA 12(b) Export notification because Food, Drugs and cosmetic products are exempt.

**Other regulations**

Restricted to professional users.

This product is not subject to TSCA and TSCA 12(b) Export notification because Food, Drugs and cosmetic products are exempt.

Medicinal products in the finished state, intended for the final user, are not subject to GHS labeling.

**INTELENCE**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/04
6.0	2025/09/10	100000010297	Date of first issue: 2014/07/09

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

ACGIH	:	US. ACGIH Threshold Limit Values
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
J&J OEL/PBOEL HHC	:	J&J OEL/PBOEL HHC
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	Time weighted average
ACGIH / TWA	:	8-hour, time-weighted average
J&J OEL/PBOEL HHC / TWA	:	Time weighted average
J&J OEL/PBOEL HHC / PBOEL-HHC	:	PBOEL-HHC
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration,

# SAFETY DATA SHEET



## INTELENC

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/04
6.0	2025/09/10	100000010297	Date of first issue: 2014/07/09

Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 2025/09/10

### Date and Number Formats

This document uses the following notation for printing dates and numbers:

<b>Date:</b>	Dec 31th, 2012	as	2012/12/31
<b>Numbers:</b>	123456,78	as	123,456.78

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN