

SAFETY DATA SHEET



RISPERDAL

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2025/02/01 |
| 9.2 | 2025/02/23 | 100000010216 | Date of first issue: 2014/02/21 |

SECTION 1. IDENTIFICATION

Product name : RISPERDAL
Substance name : RISPERDAL 4 mg coated tablets (green)
risperidone

Manufacturer or supplier's details

Company name of supplier : Janssen Pharmaceuticals, Inc.
Address : 1125 Trenton-Harbourton Rd
Titusville NJ 08560
USA
Telephone : +16097302000
E-mail address of person responsible for the SDS : SDSJanssen@its.jnj.com
Emergency telephone number : **CHEMTREC US: 1-800-424-9300**
CHEMTREC International: +1 703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : Finished Pharmaceutical Product
Pharmacotherapeutic group: Psycholeptics
This SDS is only intended for occupational use and not for consumer use (see patient packaging insert for consumer use). This SDS is written to provide environmental, health and safety information for personnel that will be handling this finished pharmaceutical product. For health and safety information during manufacturing of this product we refer to the appropriate SDS for each component.
This dosage form is exempt from the requirements of the OSHA Hazard Communication Standard (US OSHA Standard 29 CFR Part 1910.1200).

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

RISPERDAL

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2025/02/01 |
| 9.2 | 2025/02/23 | 100000010216 | Date of first issue: 2014/02/21 |

Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity:
9.66 %

Other hazards

This Finished Pharmaceutical Product is non-hazardous based on chemical classification rules. Refer to the pharmacotherapeutic group (section 1.2) and the patient packaging insert to evaluate the possible workplace hazards when this Finished Pharmaceutical Product is accidentally leaking, broken or crushed.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Solid

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|---|-------------|-----------------------|
| Starch | 9005-25-8 | >= 20 - < 30 |
| Cellulose | 9004-34-6 | >= 5 - < 10 |
| HYDROXYPROPYLMETHYLCELLULOSE (HPMC) | 9004-65-3 | >= 1 - < 5 |
| RISPERIDONE | 106266-06-2 | >= 0.1 - < 1 |
| TITANDIOXIDE | 13463-67-7 | >= 0.1 - < 1 |
| Talc (Mg ₃ H ₂ (SiO ₃) ₄) | 14807-96-6 | >= 0.1 - < 1 |
| Octadecanoic acid, magnesium salt | 557-04-0 | >= 0.1 - < 1 |
| PROPYLENE GLYCOL | 57-55-6 | >= 0.1 - < 1 |
| COLLOIDAL ANHYDROUS SILICA | 112945-52-5 | >= 0.1 - < 1 |
| DODECYL SODIUM SULPHATE | 151-21-3 | >= 0.1 - < 1 |

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled : If breathed in, move person into fresh air.
Consult a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and water.
If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses.
Rinse immediately with plenty of water, also under the eyelids, for at least 5 minutes.
If eye irritation persists, consult a specialist.

If swallowed : If swallowed, rinse mouth with water (only if the person is conscious).
Call a physician immediately.

Most important symptoms : Consult the patient packaging insert for more information

SAFETY DATA SHEET



RISPERDAL

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2025/02/01 |
| 9.2 | 2025/02/23 | 100000010216 | Date of first issue: 2014/02/21 |

and effects, both acute and delayed

about this Finished Pharmaceutical Product.

Abdominal pain

Cough

Dizziness

Drowsiness

Fever

Fatigue

Headache

hypertension

muscle pain

Pain

Respiratory disorder

Sleep

Tremors

Vomiting

Notes to physician

: Treat symptomatically.

Consult the patient packaging insert for more information about this Finished Pharmaceutical Product.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Hazardous combustion products : No information available.

Further information : No information available.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid dust formation.
Avoid breathing dust.
Evacuate personnel to safe areas.
In the event of an accidental release the emergency response team must respond based on a risk assessment and use personal protective equipment as appropriate.

Environmental precautions : Should not be released into the environment.

Methods and materials for containment and cleaning up : Large spills + Small spills: Keep in suitable, closed containers for disposal. Treat recovered material as described in the section "Disposal considerations".
Large spills: Sweep up (intact) or vacuum with HEPA filter (broken or crushed) or via wet cleaning into suitable containers for disposal. Pick up and arrange without creating dust. Keep in properly labelled containers.
Small spills: Moisten a towel, cover the spill, pick up the spill

SAFETY DATA SHEET



RISPERDAL

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2025/02/01 |
| 9.2 | 2025/02/23 | 100000010216 | Date of first issue: 2014/02/21 |

or use HEPA vacuum.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : None known.
- Advice on safe handling : Avoid inhalation, ingestion and contact with skin and eyes. Keep away from heat and sources of ignition. To avoid thermal decomposition, do not overheat. Do not break, crush or spill this Finished Pharmaceutical Product. Use personal protective equipment as required.
- Conditions for safe storage : Keep away from heat and sources of ignition. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep locked up. Store in original container. To maintain product quality, do not store in heat or direct sunlight.
- Recommended storage temperature : 59 - 77 °F / 15 - 25 °C
- Further information on storage stability : Do not store in the refrigerator or freezer.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|------------|-----------|--------------------------------|--|-----------|
| Starch | 9005-25-8 | TWA | 10 mg/m ³ | ACGIH |
| | | TWA (Respirable) | 5 mg/m ³ | NIOSH REL |
| | | TWA (total) | 10 mg/m ³ | NIOSH REL |
| | | TWA (total dust) | 15 mg/m ³ | OSHA Z-1 |
| | | TWA (respirable fraction) | 5 mg/m ³ | OSHA Z-1 |
| | | TWA (Total dust) | 15 mg/m ³ | OSHA P0 |
| | | TWA (respirable dust fraction) | 5 mg/m ³ | OSHA P0 |
| Cellulose | 9004-34-6 | TWA | 10 mg/m ³ | ACGIH |

SAFETY DATA SHEET



RISPERDAL

Version 9.2 Revision Date: 2025/02/23 SDS Number: 100000010216 Date of last issue: 2025/02/01
Date of first issue: 2014/02/21

| | | | | |
|---|-------------|-------------------------------------|-------------------------------------|-------------------|
| | | TWA (Respirable) | 5 mg/m ³ | NIOSH REL |
| | | TWA (total) | 10 mg/m ³ | NIOSH REL |
| | | TWA (total dust) | 15 mg/m ³ | OSHA Z-1 |
| | | TWA (respirable fraction) | 5 mg/m ³ | OSHA Z-1 |
| | | TWA (Total dust) | 15 mg/m ³ | OSHA P0 |
| | | TWA (respirable dust fraction) | 5 mg/m ³ | OSHA P0 |
| HYDROXYPROPYLMETHYLCELLULOSE (HPMC) | 9004-65-3 | TWA | 10 mg/m ³ | ACGIH |
| RISPERIDONE | 106266-06-2 | TWA | 0.0045 mg/m ³ | J&J OEL/PBOEL HHC |
| | | PBOEL-HHC | 3 B | J&J OEL/PBOEL HHC |
| Further information: J&J has a hazard banding notation: PBOEL HHC. This substance is classified by J&J as being PBOEL HHC 3B. | | | | |
| TITANDIOXIDE | 13463-67-7 | TWA | 2.4 mg/m ³ | J&J OEL/PBOEL HHC |
| | | TWA | 10 mg/m ³ | ACGIH |
| Talc (Mg ₃ H ₂ (SiO ₃) ₄) | 14807-96-6 | | 2 mg/m ³ | ACGIH |
| | | TWA (Dust) | 20 Million particles per cubic foot | OSHA Z-3 |
| | | TWA (respirable dust fraction) | 2 mg/m ³ | OSHA P0 |
| | | TWA (Respirable) | 2 mg/m ³ | NIOSH REL |
| | | TWA | 0.1 fibres per cubic centimeter | ACGIH |
| | | TWA (Respirable particulate matter) | 2 mg/m ³ | ACGIH |
| | | PEL (respirable) | 0.05 mg/m ³ | OSHA CARC |
| Octadecanoic acid, magnesium salt | 557-04-0 | TWA (Inhalable particulate matter) | 10 mg/m ³ | ACGIH |
| | | TWA (Respirable particulate) | 3 mg/m ³ | ACGIH |

SAFETY DATA SHEET



RISPERDAL

Version 9.2 Revision Date: 2025/02/23 SDS Number: 100000010216 Date of last issue: 2025/02/01
 Date of first issue: 2014/02/21

| | | | | |
|--|-------------|------------|--|-------------------|
| | | matter) | | |
| PROPYLENE GLYCOL | 57-55-6 | TWA | 10 mg/m3 | US WEEL |
| COLLOIDAL ANHYDROUS SILICA | 112945-52-5 | TWA (Dust) | 20 Million particles per cubic foot (Silica) | OSHA Z-3 |
| | | TWA (Dust) | 80 mg/m3 / %SiO2 (Silica) | OSHA Z-3 |
| | | TWA | 6 mg/m3 (Silica) | NIOSH REL |
| DODECYL SODIUM SULPHATE | 151-21-3 | TWA | 0.5 mg/m3 | J&J OEL/PBOEL HHC |
| | | PBOEL-HHC | 1 B | J&J OEL/PBOEL HHC |
| Further information: J&J has a hazard banding notation: PBOEL HHC. This substance is classified by J&J as being PBOEL HHC 1B., Notation DSEN: has the potential to cause delayed allergic skin reaction (sensitization), such as wheals and rashes, Notation RSEN: has the potential to cause delayed allergic reactions (sensitization), such as shortness of breath, asthma and anaphylaxis. | | | | |

Engineering measures : All personal protective equipment should be based on a risk assessment. Consult a Environment Health Safety expert if necessary.
 If this product is processed not in accordance with the prescribed use, contact the Industrial Hygiene / Environment Health Safety Expert to assess the situation.
 Validated Industrial Hygiene Analytical methods are developed to monitor and quantify inhalable exposure to the Active Pharmaceutical Ingredient. For more information contact Bureau Veritas Laboratories - Lake Zurich (BV_LZLab@bureauveritas.com) or the Laboratory of Occupational and Environmental Hygiene (lamh.be).

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection
 Remarks : Disposable gloves

Eye protection : No special precautions required.

Skin and body protection : closed work clothing

Protective measures : The type of protective equipment must be selected based on the Environmental Health and Safety risk assessment. Consult a Environmental Health and Safety expert if

SAFETY DATA SHEET



RISPERDAL

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2025/02/01 |
| 9.2 | 2025/02/23 | 100000010216 | Date of first issue: 2014/02/21 |

necessary.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | | |
|--|---|-------------------|
| Appearance | : | tablet |
| Colour | : | green |
| Odour | : | No data available |
| pH | : | No data available |
| Melting point/ range | : | No data available |
| Boiling point/boiling range | : | No data available |
| Flash point | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapour pressure | : | Not applicable |
| Relative vapour density | : | Not applicable |
| Relative density | : | No data available |
| Density | : | No data available |
| Solubility(ies) | | |
| <u>Water solubility</u> | : | No data available |
| Partition coefficient: n-octanol/water | : | No data available |
| Decomposition temperature | : | No data available |
| Viscosity | | |
| <u>Viscosity, dynamic</u> | : | Not applicable |
| <u>Viscosity, kinematic</u> | : | Not applicable |
| Explosive properties | : | No data available |

RISPERDAL

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2025/02/01 |
| 9.2 | 2025/02/23 | 100000010216 | Date of first issue: 2014/02/21 |

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : Heat, flames and sparks.
To avoid thermal decomposition, do not overheat.

Incompatible materials : None known.

Hazardous decomposition products : None known.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity****Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:**Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

RISPERIDONE:

Acute oral toxicity : LD50 (Rat, female): 63 mg/kg
LD50 (Rat, male): 113 mg/kg
LD50 (Mouse): 63 mg/kg
LD50 (Dog): 18.3 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Talc (Mg₃H₂(SiO₃)₄):

Acute oral toxicity : Remarks: No data available

RISPERDAL

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2025/02/01 |
| 9.2 | 2025/02/23 | 100000010216 | Date of first issue: 2014/02/21 |

PROPYLENE GLYCOL:

Acute oral toxicity : LD50 (Rat): > 10,400 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): > 317,042 mg/l
Exposure time: 2 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 20,800 mg/kg

COLLOIDAL ANHYDROUS SILICA:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

DODECYL SODIUM SULPHATE:

Acute oral toxicity : LD50 Oral (Rat): 1,200 mg/kg
Method: OECD Test Guideline 401
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation**Components:****Cellulose:**

Species : Rabbit
Remarks : No skin irritation

RISPERIDONE:

Species : Rabbit
Result : No skin irritation

Talc (Mg₃H₂(SiO₃)₄):

Remarks : slight irritation

COLLOIDAL ANHYDROUS SILICA:

Species : Rabbit
Result : No skin irritation

DODECYL SODIUM SULPHATE:

Species : Rabbit
Method : OECD Test Guideline 404

RISPERDAL

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2025/02/01 |
| 9.2 | 2025/02/23 | 100000010216 | Date of first issue: 2014/02/21 |

Result : Skin irritation

Serious eye damage/eye irritation**Components:****Cellulose:**

Species : Rabbit
Remarks : No eye irritation

RISPERIDONE:

Species : Rabbit
Result : No eye irritation
Method : ex vivo REET (Rabbit Enucleated Eye Test) assay

Talc (Mg₃H₂(SiO₃)₄):

Remarks : Mild eye irritation

COLLOIDAL ANHYDROUS SILICA:

Species : Rabbit
Result : No eye irritation

DODECYL SODIUM SULPHATE:

Species : Rabbit
Result : Corrosive to eyes
Method : OECD Test Guideline 405

Respiratory or skin sensitisation**Components:****Cellulose:**

Species : Guinea pig
Remarks : Did not cause sensitisation on laboratory animals.

RISPERIDONE:

Remarks : No data available

DODECYL SODIUM SULPHATE:

Result : Not a sensitizer

Germ cell mutagenicity**Components:****RISPERIDONE:**

Genotoxicity in vitro : Remarks: No data available

RISPERDAL

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2025/02/01 |
| 9.2 | 2025/02/23 | 100000010216 | Date of first issue: 2014/02/21 |

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Talc (Mg₃H₂(SiO₃)₄):

Genotoxicity in vitro : Test Type: Ames test
Result: negative

DODECYL SODIUM SULPHATE:

Genotoxicity in vitro : Method: OECD Test Guideline 471
Result: negative

Carcinogenicity**Components:****RISPERIDONE:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity**Components:****RISPERIDONE:**

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.

Teratogenicity - Assessment : Ingestion of excessive amounts by pregnant animals resulted in maternal and foetal toxicity.

DODECYL SODIUM SULPHATE:

Effects on fertility : Remarks: negative

STOT - single exposure**Components:****RISPERIDONE:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

RISPERDAL

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2025/02/01 |
| 9.2 | 2025/02/23 | 100000010216 | Date of first issue: 2014/02/21 |

DODECYL SODIUM SULPHATE:

Exposure routes : Inhalation
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT - repeated exposure

No data available

Repeated dose toxicity**Components:****RISPERIDONE:**

Remarks : No data available

Aspiration toxicity

No data available

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

No data available

Other health hazards

No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Cellulose:**

Toxicity to fish : Remarks: No data available

HYDROXYPROPYLMETHYLCELLULOSE (HPMC):

Toxicity to fish : Remarks: No data available

RISPERIDONE:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 5.8 mg/l
Exposure time: 96 h
Method: FDA 4.11

SAFETY DATA SHEET



RISPERDAL

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2025/02/01 |
| 9.2 | 2025/02/23 | 100000010216 | Date of first issue: 2014/02/21 |

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6 mg/l
Exposure time: 48 h
Method: FDA 4.08

Toxicity to algae/aquatic plants : EC50 (Scenedesmus capricornutum (fresh water algae)): 26 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EC50 (microcystis aeruginosa (blue green algae)): > 100 mg/l
Exposure time: 10 d
Method: FDA 4.01

Toxicity to microorganisms : NOEC (activated sludge): 47 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Talc (Mg₃H₂(SiO₃)₄):

Toxicity to fish : (Danio rerio (zebra fish)): > 100,000 mg/l
Exposure time: 24 h
Test Type: LC50

PROPYLENE GLYCOL:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 51,600 mg/l
Exposure time: 96 h
Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 43,500 mg/l
Exposure time: 48 h

Toxicity to fish (Chronic toxicity) : NOEC: > 100 mg/l

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : (Daphnia sp. (water flea)): 13,020 mg/l
Exposure time: 7 d

COLLOIDAL ANHYDROUS SILICA:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 24 h

DODECYL SODIUM SULPHATE:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 29 mg/l

SAFETY DATA SHEET



RISPERDAL

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2025/02/01 |
| 9.2 | 2025/02/23 | 100000010216 | Date of first issue: 2014/02/21 |

Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Ceriodaphnia dubia (water flea)): 5.55 mg/l
Exposure time: 48 h
Test Type: flow-through test

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 120 mg/l
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) :

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1 mg/l

Persistence and degradability

Components:

HYDROXYPROPYLMETHYLCELLULOSE (HPMC):

Biodegradability : Remarks: No data available

RISPERIDONE:

Biodegradability : Inoculum: activated sludge
Result: Not readily biodegradable.
Exposure time: 28 d
Method: FDA 3.11

PROPYLENE GLYCOL:

Biodegradability : Biodegradation: 81 %
Exposure time: 28 d

COLLOIDAL ANHYDROUS SILICA:

Biodegradability : Remarks: No data available

DODECYL SODIUM SULPHATE:

Biodegradability : Result: Readily biodegradable.

Biochemical Oxygen Demand (BOD) : > 60 %(m)

Dissolved organic carbon (DOC) : > 70 %(m)

RISPERDAL

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2025/02/01 |
| 9.2 | 2025/02/23 | 100000010216 | Date of first issue: 2014/02/21 |

Bioaccumulative potential**Components:****Starch:**

Partition coefficient: n-octanol/water : Remarks: No data available

HYDROXYPROPYLMETHYLCELLULOSE (HPMC):

Bioaccumulation : Remarks: No data available

RISPERIDONE:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : Pow: 3.04

TITANDIOXIDE:

Partition coefficient: n-octanol/water : Remarks: No data available

Octadecanoic acid, magnesium salt:

Partition coefficient: n-octanol/water : Remarks: No data available

PROPYLENE GLYCOL:

Bioaccumulation : Bioconcentration factor (BCF): < 100
Remarks: No data available

Partition coefficient: n-octanol/water : log Pow: -0.92

COLLOIDAL ANHYDROUS SILICA:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : Remarks: No data available

DODECYL SODIUM SULPHATE:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : log Pow: 0.83 (68 °F / 20 °C)

RISPERDAL

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2025/02/01 |
| 9.2 | 2025/02/23 | 100000010216 | Date of first issue: 2014/02/21 |

Mobility in soil**Components:****HYDROXYPROPYLMETHYLCELLULOSE (HPMC):**

Distribution among environmental compartments : Remarks: No data available

RISPERIDONE:

Mobility : Remarks: No data available

PROPYLENE GLYCOL:

Distribution among environmental compartments : Remarks: No data available

COLLOIDAL ANHYDROUS SILICA:

Distribution among environmental compartments : Remarks: No data available

DODECYL SODIUM SULPHATE:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

Other adverse effects**Components:****HYDROXYPROPYLMETHYLCELLULOSE (HPMC):**

Results of PBT and vPvB assessment : No information available.

Additional ecological information : No data available

PROPYLENE GLYCOL:

Results of PBT and vPvB assessment : No information available.

Additional ecological information : No data available

COLLOIDAL ANHYDROUS SILICA:

Results of PBT and vPvB assessment : No information available.

Additional ecological information : No data available

SAFETY DATA SHEET



RISPERDAL

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2025/02/01 |
| 9.2 | 2025/02/23 | 100000010216 | Date of first issue: 2014/02/21 |

DODECYL SODIUM SULPHATE:

Environmental fate and pathways : No data available

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : In accordance with National, Federal, State and Local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SAFETY DATA SHEET



RISPERDAL

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2025/02/01 |
| 9.2 | 2025/02/23 | 100000010216 | Date of first issue: 2014/02/21 |

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

| | |
|----------------------------|-----------|
| Starch | 9005-25-8 |
| microcrystalline cellulose | 9004-34-6 |

Pennsylvania Right To Know

| | |
|--|-----------|
| alpha-D-Glucopyranose, 4-O-beta-D-galactopyranosyl-, hydrate (1:1) | 5989-81-1 |
| Starch | 9005-25-8 |
| microcrystalline cellulose | 9004-34-6 |

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California Permissible Exposure Limits for Chemical Contaminants

| | |
|----------------------------|-----------|
| Starch | 9005-25-8 |
| microcrystalline cellulose | 9004-34-6 |

Other regulations

Restricted to professional users.

This product is not subject to TSCA and TSCA 12(b) Export notification because Food, Drugs and cosmetic products are exempt.

Medicinal products in the finished state, intended for the final user, are not subject to GHS labeling.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

| | |
|-------------------|---|
| ACGIH | : US. ACGIH Threshold Limit Values |
| ACGIH | : USA. ACGIH Threshold Limit Values (TLV) |
| J&J OEL/PBOEL HHC | : J&J OEL/PBOEL HHC |
| NIOSH REL | : USA. NIOSH Recommended Exposure Limits |
| OSHA CARC | : OSHA Specifically Regulated Chemicals/Carcinogens |
| OSHA P0 | : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values) |
| OSHA Z-1 | : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| OSHA Z-3 | : USA. Occupational Exposure Limits (OSHA) - Table Z-3 |

SAFETY DATA SHEET



RISPERDAL

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2025/02/01 |
| 9.2 | 2025/02/23 | 100000010216 | Date of first issue: 2014/02/21 |

Mineral Dusts

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

ACGIH / TWA : Time weighted average

ACGIH / TWA : 8-hour, time-weighted average

J&J OEL/PBOEL HHC / TWA : Time weighted average

J&J OEL/PBOEL HHC / PBOEL-HHC : PBOEL-HHC

PBOEL-HHC

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek

OSHA CARC / PEL : Permissible exposure limit (PEL)

OSHA P0 / TWA : 8-hour time weighted average

OSHA Z-1 / TWA : 8-hour time weighted average

OSHA Z-3 / TWA : 8-hour time weighted average

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 2025/02/23

Date and Number Formats

SAFETY DATA SHEET



RISPERDAL

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2025/02/01 |
| 9.2 | 2025/02/23 | 100000010216 | Date of first issue: 2014/02/21 |

This document uses the following notation for printing dates and numbers:

| | | | |
|-----------------|----------------|----|------------|
| Date: | Dec 31th, 2012 | as | 2012/12/31 |
| Numbers: | 123456,78 | as | 123,456.78 |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN